

Heinzmann offers you the very best range of products made of synthetic materials. Be it small or large, all our products made from synthetic material are in high demand and comprehensively cover all areas of renovation and open up all sorts of possibilities for new buildings. Constuctions with outstanding stability, tested and approved, are guaranteed to be functional and long lasting. The basis for all Heinzmann shutters are the carefully selected synthetic materials. We choose only the best.

technical description vinyl shutters

roller shutters

profile P 1452 - P 1455:

Double-sided PVC model with hardened PVC, openings for light and air.

Comes with spring suspension

and aluminium insertion or rubber insertion as a end slat for the cover.

Comes with reinforced steel if the length of the cover is more than 2.500 mm.

Covered in a thin sheet of plastic.

5 non-punched rods upside

extras:

end slat Alu-Hollow, E6EV1 natural anoded

end slat Alu-Hollow, E6MC3 medium bronze or E6MC4 dark bronze

end slat Alu-Hollow, white varnished

end slat Alu-Super E6EV1 natural anoded

end slat Alu-Super, E6MC3 medium bronze or E6MC4 dark bronze

end slat Alu-Super, white varnished

Alu-Super inclusive gliders for end slat transparent or brown

(please note the rail depth)

detent

end slat with flat steel

roller shutter

profile P 700:

Double-sided hardened PVC model with openings for light and air. Ready to install. Mini hollow E6EV1

anoded end slat (without suspension ridges or cord)

Covered in a thin sheet of plastic.

5 non-punched rods upside

extras:

end slat Mini-Hollow, E6EV1 natural anoded

end slat Mini-Hollow, E6MC3 medium bronze or E6MC4 dark bronze

end slat Mini-Hollow, white varnished

detent

End slat with flat steel


colours:

colour 204	= grey bright
colour 205	= creme
colour 206	= white
colour 207	= grey
colour 209	= beige bright
colour 211	= beige

special colour:

colour 208	= oak (only P 1455 and P 700)
------------	-------------------------------

shutter profiles - vinyl
P 1455, P 1452, P 700



Technical data	profile 1455	profile 1452	Profile 700
Height in cm	shaft Ø 60 mm	shaft Ø 60 mm	shaft Ø 40 mm
100	140 mm	130 mm	105 mm
150	160 mm	150 mm	125 mm
175	170 mm	161 mm	140 mm
225	190 mm	175 mm	150 mm
250	205 mm	190 mm	160 mm

Profile height	65 mm	60 mm	43 mm
Covered height	56 mm	52 mm	37 mm
Thickness	14 mm	13 mm	8 mm
Weight per m ²	5 kg	5 kg	4 kg
Needed rods per m	18 rods	19 rods	27 rods
Maximum square	5 m ²	5 m ²	3 m ²
Maximum length	3000 mm	2500 mm	1800 mm
Maximum height	3000 mm	3000 mm	2500 mm
Packing unit	120 m	120 m	240 m

colours:
profiles P 1455 – P 700

Farbe 204	= grey bright
Farbe 205	= creme
Farbe 206	= white
Farbe 207	= grey
Farbe 208	= oak
Farbe 209	= beige bright
Farbe 211	= beige

colours:
profile P 1452

Farbe 204	= grey bright
Farbe 205	= creme
Farbe 206	= white
Farbe 207	= grey
Farbe 209	= beige bright
Farbe 211	= beige

technical description

**roller shutter
profile C 1453:** Made of specially formed aluminium. Polyurethane insulation foam core with openings for light and air. Ready to install. Comes with spring suspension. Rubber end slat. Covered in a sheet of plastic.

5 non-punched rods

extras: End slat Alu-Fluffy, E6EV1 natural anoded
End slat Alu-Fluffy, E6MC3 medium bronze or E6MC4 dark bronze
End slat Alu-Fluffy, white varnished
End slat with flat steel

**Roller shutter
profile C 838:** Made of specially formed aluminium. Polyurethane insulation foam core with openings for light and air. Ready to install. Comes with spring suspension. Mini-Fluffy end slat E6EV1 natural anoded. Covered in a sheet of plastic.



extras: 5 non-punched rods

End slat Mini-Fluffy, E6MC3 medium bronze or E6MC4 dark bronze
End slat Mini-Fluffy, white varnished
End slat with flat steel

colours:

colour 1122	= ivory
colour 1952	= white
colour 1728	= grey
Farbe 2915	= diamond-metallic
Farbe 2909	= oak
Farbe 3809	= macassar
Farbe 1179	= beige
Farbe 1851	= brown

Shutter profiles – aluminium
C 1453, C 838



Technical data	profile C 1453	profile C 838
Height in cm	Shaft Ø 60 mm	Shaft Ø 40 mm
100	140 mm	105 mm
150	160 mm	125 mm
175	165 mm	140 mm
225	180 mm	150 mm
250	190 mm	160 mm

Profile height	60 mm	44 mm
Covered height	52 mm	37 mm
Thickness	13 mm	7,6 mm
Weight per m ²	4 kg	4 kg
Needed rods per m	19 rods	27 rods
Maximum square	8 m ²	6,5 m ²
Maximum length	3800 mm	3000 mm
Maximum height	3000 mm	2500 mm
Packing unit	120 m	360 m

colours:

colour 1122	= ivory
colour 1952	= white
colour 1728	= grey
colour 2915	= diamond-metallic
colour 2909	= oak
colour 3809	= macassar
colour 1179	= beige
colour 1851	= brown